



PRODUCT CATALOG



2024

optimum

Expo-service Sp. z o.o., 00-710 Warsaw, 31 Al. Witosa
Tel.: +48 25 759 18 81, tel.: +48 502 100 444
e-mail: AGD@expo-service.com.pl
www.optimum.hoho.pl; www.optimumpro.pl



EXPO-SERVICE

The company Expo-service sp. z o.o. has been launched in 1986 for the needs of creating innovative solutions.

For nearly 40 years we have been delivering products in the European standard, and for more than 30 years we have been the owner of Optimum, Optimum Med brands and Optimum Pro premium brand.

We have at our disposal our own logistics centre in the eastern part of Poland in Mińsk Mazowiecki and trade office in China, in Foshan in Guangdong province.

We invite you to our showroom in Warsaw.

optimum

The Optimum brand was founded with a passion of creating exceptional moments. Since many years it has settled at homes of millions of Europeans. During this time we have become experts in the production of small household appliances and appliances to boost your health and beauty. You will find in our offer all the products to make your living simpler!



Health is our number one priority! That is why we have created a special Optimum Med line of products, which helps in our daily care for health and wellbeing. Modern blood pressure or temperature measuring devices as well as massage products, thanks to which taking care of health is a pleasure.



Optimum Pro products represent the subsequent stage of the development of Optimum brand. They are distinguished by a unique design and uncompromised quality.

Explore our premium line.



Our group of companies includes Arconet sp. z o.o. service network. We provide service for our brands, but not only, at the highest level with the support of European Arconet network.

See our products!

optimum

KETTLES	4
MILK FROTHERS/COFFEE GRINDERS	11
FOOD DEHYDRATORS	13
TOASTER/WAFFLES/SANDWICH MAKERS	14
FOOD PROCESSORS/MIXERS/BLENDERS	16
JUICERS/CITRUS JUICERS/SLOW JUICER	19
DEEP FRYERS/AIR FRYERS	20
GAS COOKERS/ELECTRIC COOKERS	21
INDUCTION COOKERS/MICROWAVE OVENS	24
VACUUM CLEANERS	26
ELECTRIC OVENS	27
IRONS	29
REFRIGERATORS	30
SPICE MILLS/OTHER	31
KITCHEN SCALES	33
HEALTH AND BEAUTY	35
HEATING/DEHUMIDIFIERS	39
FANS	41

KETTLES

CX-4001/CX-4002

pro

- Capacity 1.7 liters
- Automatic lid
- Built-in heating element
- Stable swivel base 360°
- Water level indicator, filter
- **STRIX controller**
- Power: 2200 W



→ CX-4001/CX-4002

CX-4003/CX-4004

pro

- Capacity 1.7 liters
- Removable lid
- Built-in heating element
- Stable swivel base 360°
- Water level indicator, filter
- **STRIX controller**
- Power: 2200 W



→ CX-4003/CX-4004

CJ-0100

●

- Travel, corded kettle, capacity 0.5 liters
- Water level indicator
- Built-in heating element
- Overheating protection
- Integrated base
- 2 plastic cups
- Power: 950 W



→ CJ-0100

CJ-0105

●

- Travel kettle, capacity 0.6 liters
- Transparent housing
- Built-in heating element
- Overheating protection
- 2 cups + 2 plastic spoons
- Integrated base
- Power: 650 W



→ CJ-0105

KETTLES

CJ-0112

- Foldable travel kettle
- Capacity 0.8 liters
- Housing made of flexible silicone
- **Foldable housing and handle**
- Overheating protection
- Integrated base
- Power: 750 W



→ CJ-0112

CJ-1045

- Capacity 0.8 liters
- Double-sided water level indicator
- Tilted lid, filter
- Stable swivel base 360°
- Built-in heating element
- Power: 1000 W



→ CJ-1045

CJ-1050

- Capacity 1.0 liters
- Double-sided water level indicator
- Tilted lid, filter
- Stable swivel base 360°
- Built-in heating element
- Power: 1100 W



→ CJ-1050

CJ-1775

- Capacity 1.7 liters
- Double-sided water level indicator
- Tilted lid, filter
- Stable swivel base 360°
- Built-in heating element
- Power: 2200 W



→ CJ-1775

KETTLES

CJ-1806

- Capacity 1.7 liters
- Double-sided water level indicator
- Tilted lid, filter
- Stable swivel base 360°
- Built-in heating element
- Power: 2200 W



CJ-1807/CJ-1808

- Capacity 1.7 liters
- Automatic lid, filter
- Double-sided water level indicator
- Stable swivel base 360°
- Built-in heating element
- Power: 2200 W



CJS-4013/CJS-4014

- Capacity 1.7 liters
- Automatic lid, filter
- Double-sided water level indicator
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 2200 W



CJS-4020/CJS-4021

- Capacity 1.7 liters
- Removable lid, filter
- Water level indicator
- Built-in heating element
- Stable swivel base 360°
- **STRIX controller**
- Power: 2200 W



KETTLES

CJS-4030/CJS-4031

- Capacity 1.7 liters
- Automatic lid, filter
- Water level indicator
- Stable swivel base 360°
- Built-in heating element
- **OTTER controller**
- Power: 2200 W



CJS-1206

- Capacity 1.2 liters
- Stainless steel housing
- Removable lid, filter
- Stable swivel base 360°
- Built-in heating element
- **OTTER controller**
- Power: 1630 W



CJS-5020

- Capacity 1.7 liters
- Stainless steel housing
- Automatic lid, filter
- Water level indicator
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 2200 W



CJS-5024/CJS-5025

- Capacity 1.7 liters
- Stainless steel housing
- Automatic lid, filter
- Water level indicator
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 2200 W



KETTLES

CJ-2025

- Capacity 1.7 liters
- **Digital water temperature display on the housing**
- Touch control panel
- Temperature regulation: 40-100 °C
- Keep warm function
- Double wall housing
- Power: 2200 W



→ CJ-2025

CJS-1310

- Kettle made of ceramics
- Capacity 1 liter
- Removable lid
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 1200 W



→ CJS-1310

CJS-1310

- Kettle made of ceramics
- Capacity 1 liter
- Removable lid
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 1200 W



→ CJS-1310

CJS-1312

- **Ceramic kettle with 2 cups & saucers**
- Capacity 1.2 liters
- Removable lid
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 1000 W



→ CJS-1312

KETTLES

CJS-1315

- Kettle made of ceramics
- Capacity 1.5 liters
- Removable lid
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 1200 W



CJS-1316

- Kettle made of ceramics
- Capacity 1.5 liters
- Removable lid
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 1200 W



CJS-1318

- Kettle made of ceramics
- Capacity 1 liter
- Lid made of solid wood
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 1200 W



CJ-3001

- Capacity 1.7 liters
- Filter
- Heat-resistant glass jug
- Illuminated interior of the kettle while boiling
- Stable swivel base 360°
- Built-in heating element
- Overheating protection
- Power: 2200 W



KETTLES

CJ-3002

- Capacity 1.7 liters
- Filter
- Heat-resistant glass jug
- Illuminated interior of the kettle while boiling
- Stable swivel base 360°
- Built-in heating element
- Overheating protection
- Power: 2200 W



→ CJ-3002

CJS-3500

- Capacity 1.7 liters
- Heat-resistant glass jug
- Illumination of the inside of the kettle when boiling water
- Removable, decorative lid, stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 2200 W



→ CJS-3500

CJS-3510

- Capacity 1.7 liters
- Heat-resistant glass jug
- Illumination of the inside of the kettle when boiling water
- Removable, decorative lid
- Stable swivel base 360°
- Built-in heating element
- **STRIX controller**
- Power: 2200 W



→ CJS-3510

MILK FROTHERS/COFFEE GRINDERS

SX-3004

pro

- **Induction milk frother**
- Froths hot and cold and heats milk
- Detachable glass milk container (900 ml)
- Max. quantity for frothing milk 200 ml
- Max. quantity for heating milk 600 ml
- Auto power off
- Power: 550 W



→ SX-3004

LP-0001/LP-0002



- Milk frother
- One button operation
- Foaming stainless steel spiral
- Battery operated (2 x AA)
- Perfect for easily frothing milk and preparing milk foam for cappuccino and latte
- LP-0001 gray, LP-0002 black



→ LP-0001/LP-0002

LP-0005



- Milk frother
- One button operation
- Foaming stainless steel spiral
- Battery operated (2 x AA)
- Perfect for easily frothing milk and preparing milk foam for cappuccino and latte



→ LP-0005

RK-0147



- Max. capacity: 60 g
- Stainless steel knife
- One-button operation
- Transparent cover
- Safety lock
- Power: 200 W



→ RK-0147

RK-0153



- Max. capacity: 50 g
- Stainless steel knife
- Metal coffee container & housing
- Transparent, large window in the lid
- One-button operation
- Safety lock
- Power: 150 W



FOOD DEHYDRATORS

RK-0132

- 5 transparent drying trays
- **Dimensions of one tray: 32 x 32 cm, height 31 mm**
- Temperature adjustment 40 °C–70 °C
- Illuminated (LED) temperature knob
- Overheating protection, thermal fuse
- Power: 520 W



RK-0133

- 4 transparent drying trays
- **Dimensions of one tray: diameter 31 cm, height adjustable 2.5-4.5 cm**
- Temperature adjustment 40 °C–70 °C
- Illuminated (LED) temperature knob
- Overheating protection, thermal fuse
- Power: 520 W



RK-0134

- 4 transparent drying trays
- **Dimensions of one tray: diameter 31 cm, height adjustable 2.5-4.5 cm**
- **Electronic display, time adjustment: 1-48 hours**
- Temperature adjustment 40 °C–70 °C
- Illuminated (LED) temperature knob
- Overheating protection, thermal fuse
- Power: 520 W



TOASTER/WAFFLES/SANDWICH MAKERS

TX-5001/TX-5002

pro

- Two-chamber toaster
- Automatic bread centering
- 7-step toasting time adjustment
- Reheat function (REHEAT)
- Toasting stop function (STOP)
- Defrost function (DEFROST)
- Removable crumb tray
- Power: 930 W



→ TX-5001/TX-5002

TS-5720/TS-5721

- Two-chamber toaster, automatic bread centering
- **7-step toasting time adjustment**
- **Reheat function (REHEAT)**
- Toasting stop function (STOP)
- Defrost function (DEFROST)
- Removable crumb tray
- Power: 930 W



→ TS-5720/TS-5721

ST-0786

- Automatically makes 4 triangular toasted sandwich halves
- Plates covered with non-stick coating
- Thermostat controlled baking process
- 2 pilot light indicators: ON/OFF, ready
- Anti-skid base
- Power: 700 W



→ ST-0786

ST-1416

- **2 GRILL plates for grilling food**
- **For toasting slices of bread and sandwiches**
- Plates covered with non-stick coating
- Thermostat controlled baking process
- 2 pilot light indicators: ON/OFF, ready
- Anti-skid base
- Power: 800 W



→ ST-1416

ST-1600

- **3 in 1 sandwich/waffle maker/grill**
- 3 sets of replaceable plates: for toasting sandwiches, for waffles, for grilling
- Non-stick coating plates
- Automatic temperature control – thermostat
- Thermal fuse – overheat protection
- 2 indicator lights (Power/Heating indicator)
- Power: 1100 W



GF-1360

- Make 2 waffles at the same time
- **Baking temperature adjustment**
- Heating plate size: 19.8 x 19.5 cm
- Non-stick coating plate
- Non-heating handle
- Overheat protection, thermal fuse
- 2 pilot light (Power/Heating indicator)
- Power: 1200 W



GF-1400

- **4 slice square waffle maker**
- Heating plate size: 26 x 23 cm
- Auto-Thermostat controlled
- Non-stick coating plate
- Cool touch housing and heat insulated handle
- Locking system
- Overheat protection, thermal fuse
- **Power: 1300 W**



RK-0890

- **Planetary Mixer**
- 8-step speed switch
- Stainless steel bowl capacity 4.2 L
- Accessories: Metal K Beater, Dough hook, Whisk, Spatula
- Transparent splashguard
- 4 Rubber Feet
- Power: 600 W



RK-0350

- **Stand mixer with rotating bowl**
- **4.5 Liter stainless steel mixing bowl with stand**
- Self-rotating mixing bowl with gear driven
- **Left-right swing mixing head**
- 5 speeds + Turbo
- 2 sets of stainless steel stirrers: Dough hooks & Beaters
- Power: 300 W



RK-0401

- Hand mixer
- 5 speeds + Turbo
- 2 sets of metal stirrers: Dough hooks & Beaters
- Accessories release button
- Power: 400 W



RK-0402

- Hand mixer
- 5 speeds
- 2 sets of metal stirrers (**22 cm long**)
- Accessories release button
- Protection against accidental removal of mixers during operation
- Power: 300 W



RK-0244

- Hand mixer
- 6 speeds + Turbo
- Blender – **mixing attachment for cocktails**
- 2 sets of metal stirrers: Dough hooks & Beaters
- Accessories release button
- Power: 400 W



RK-2016

- Table blender
- 2 speeds + PULSE function
- Ice crush function
- **Glass jar capacity 1,5 l**
- Stainless steel knife blades
- Removable lid
- Power: 700 W



RK-4000

- Chopper
- **Glass, decorative bowl**, capacity 2.5 liters
- 2 speeds
- **4 stainless steel cutting knives**
- Ice crushing function
- Functions: grinding and chopping
- Power: 700 W, cooper motor



RK-1211

- **12 speeds + Turbo**
- **4 cutters with stainless steel blades**
- Detachable metal mixing tip
- High-class, durable motor made of copper
- Overheating protection
- Functions: mixing, grinding, mixing
- Power: 800 W



RK-1238

- **4 in 1 multifunctional blender**
- Speed control with TURBO function
- Stainless steel knives
- In the set: whisk, **stick blender with 4 knives**, chopper (0.5 l), mixing container with measuring cup (600 ml)
- Power: 1000 W



RK-1260

- Multifunctional blender
- 5-speeds with TURBO function
- Knives and discs made of stainless steel
- In the set: Stick blender, Chopper (1.5 l), Double whisk
- Double-sided disc with coarse cutting holes
- **Full disc for grating potatoes**
- Power: 700 W



RK-0660

- 65 mm diameter of feeding tube
- 2-stage speed regulation
- Stainless steel mesh filter & housing
- Juice dripping lock function
- 1.5 liter pulp container, 0.5 liter juice container
- Overheating protection, safety lock
- Power: 600 W



RK-0012

- Capacity 0.75 l
- 2 different-sized cones for squeezing juice
- **Juice density adjustment (pulp separator)**
- **Double-sided rotation**
- Automatic on and off
- Transparent, removable cover
- Power: 40 W



RKS-3015

- Slow juicer
- **60-80 rpm low speed grinding extraction**
- "Reverse" function
- Stainless steel mesh filter & housing
- Anti-drip system, Safety lock
- 1 l pulp container, 1 l juice container
- Overheating protection
- Power: 400 W



FILTERS for RKS-3015

- for purees
- smoothies
- sorbets



DEEP FRYERS / AIR FRYERS

FX-6001

pro

- **Air fryer**
- Touch digital control panel
- Basket capacity 6.5 liters
- Temperature regulation: 80–200 °C
- 60 minutes timer
- Heat-up function, 12 preset settings
- **Basket with control window and backlight**
- Power: 1800 W



→ FX-6001

FT-2506

- Fixed oil container (non-stick)
- Capacity 2.5 liters
- Adjustable thermostat up to 190 °C
- Aluminum filter
- Lid opens with a button
- Cool touch walls
- Power: 1800 W



→ FT-2506

FT-2507

- Fixed oil container (non-stick)
- Capacity 2.5 liters
- Adjustable thermostat up to 190 °C
- Aluminum filter
- Lid opens with a button, ON/OFF switch
- Cool touch walls
- Power: 1800 W



→ FT-2507

FB-2050

- **Air fryer**
- 5 liters frying basket, 6.4 liters bowl
- Control panel with 2 knobs: time & temperature
- Temperature regulation 80–200 °C
- 30 minutes timer
- Auto shut-off
- Power: 2000 W



→ FB-2050

GAS COOKERS

KG-1012

- Number of burners: 2
- Steel body, enameled
- For gas from PROPAN / BUTAN bottles
- Medium burner power: 1.60 kW
- Large burner power: 2.30 kW
- Total heating output: 3.90 kW
- For outdoor use



KG-1013

- Number of burners: 3
- Steel body, enameled
- For gas from PROPAN / BUTAN bottles
- Small burner power: 1.00 kW
- Medium burner power: 1.60 kW
- Large burner power: 2.30 kW
- Total heating output: 4.90 kW
- For outdoor use



KG-1014

- Number of burners: 4
- Steel body, enameled
- For gas from PROPAN / BUTAN bottles
- Small burner power: 1.00 kW
- Medium burner power: 2 x 1.60 kW
- Large burner power: 2.30 kW
- Total heating output: 6.50 kW
- For outdoor use



ELECTRIC COOKERS

PK-1546

- Heating plate with a diameter of 18.5 cm
- Temperature adjustment, thermostat
- Overheating protection, thermal fuse
- Automatic safety switch
- Product size: 275x75x250 mm
- Power: 1500 W



PK-1560

- **Stainless steel housing**
- Heating plate with a diameter of 18.5 cm
- Temperature adjustment, thermostat
- Overheating protection, thermal fuse
- Automatic safety switch
- Product size: 275x75x250 mm
- Power: 1500 W



PK-2132

- 2 spiral heating plates
- Diameter of plates: 14.5 cm, power 1000 W
- 5-step temperature adjustment
- Automatic safety switch
- Metal housing
- Product size: 460x270x73 mm
- Power: 2000 W



PK-2246

- 2 heating plates a diameter: 15.5 and 18.5 cm
- Temperature adjustment, thermostat
- Overheating protection, thermal fuse
- Automatic safety switch
- Product size: 460x275x75 mm
- Power: 1000 W + 1500 W



ELECTRIC COOKERS

PK-2260

- **Stainless steel housing**
- 2 heating plates a diameter: 15.5 and 18.5 cm
- Temperature adjustment, thermostat
- Overheating protection, thermal fuse
- Automatic safety switch
- Product size: 460x275x75 mm
- Power: 1000 W + 1500 W



PK-2305

- **2 Black crystallite glass plates size: Ø 15.5 & 18.5 cm**
- Fast heat up, high power burner
- **Stainless steel housing**
- Temperature adjustment, thermostat
- Overheating protection, thermal fuse
- Automatic safety switch
- Product Size: 480x273x80 mm
- Power: 800 W + 1200 W



INDUCTION COOKERS

PX-1001

pro

- **Ceramic glass plate**
- Touch control panel with LED display & knob
- Temperature, time and power adjustment
- 1 Heating zone 19 cm
- Automatic detection of cookware
- Control panel lock, automatic shutdown
- Overheating and overvoltage protection
- Power: 1800 W



→ PX-1001

PX-2002

pro

- **Ceramic 2-plate induction hob**
- Touch control panel with LED display & knob
- 2 cooking zones with independent regulation
- Temperature, time and power adjustment
- Automatic detection of cookware
- Control panel lock, automatic shutdown
- Overheating and overvoltage protection
- Power: 3100 W (1300 W + 1800 W)



→ PX-2002

PW-1100/PW-1105

●

- **Ceramic glass plate**
- Touch control panel with LED display
- Temperature, time and power adjustment
- 1 Heating zone 19 cm
- Automatic detection of cookware
- Control panel lock, automatic shutdown
- Overheating and overvoltage protection
- Power: 1800 W



→ PW-1100/PW-1105

PW-2100/PW-2105

●

- **Ceramic 2-plate induction hob**
- Touch control panel with LED display
- 2 cooking zones with independent regulation
- Temperature, time and power adjustment
- Automatic detection of cookware
- Control panel lock, automatic shutdown
- Overheating and overvoltage protection
- Power: 3100 W (1300 W + 1800 W)



→ PW-2100/PW-2105

MMWC-20L

- Capacity: 20 L
- **Mechanical control**
- 5 power levels
- Defrost function
- Glass turntable (diameter 25.5 cm)
- Timer: 35 minutes, end cooking signal
- Power: 700 W



MKWG-20L

- Capacity: 20 L
- **Digital control**
- **GRILL**
- 5 levels of microwave power
- 8 automatic cooking programs
- Functions: MICRO/GRILL/COMBI, Quick Start, Delayed Start
- Defrost function: by weight & by time
- Digital clock. Countdown timer (95 minutes), electronic display
- Glass turntable (diameter 25.5 cm)
- Child Safety Lock
- Power: 700 W



VACUUM CLEANERS

OK-1580

- **HEPA filter (outlet) + sponge filter (inlet)**
- **Cloth bag dust capacity 1.5 liters**
- Airflow control on handle
- Auto-power cord rewinder
- Accessories: 2 plastic tubes, carpet & floor brush, flexible hose, 2 in 1 small brush
- Thermal fuse
- Power: 700 W



→ OK-1580

OK-1655

- **2 x HEPA filter (inlet & outlet)**
- **High-performance synthetic dust bag – 2.5 liters**
- Airflow control on handle
- Auto-power cord rewinder
- Accessories: telescopic metal tube, carpet & floor brush, flexible hose, 2 in 1 small brush
- Thermal fuse
- Power: 700 W



→ OK-1655

W-04

- Paper dust bag for OK-1580
5 pcs pack



→ W-04

W-05

- Paper dust bag for OK-1655
5 pcs pack



→ W-05

ELECTRIC OVENS

PK-1200

- Capacity: 12 liters
- Grill
- Temperature adjustment: 65–230 °C
- 60 minute timer with sound signal
- 4 stainless steel heating elements
- Accessories: tray and metal rack with handle
- Power: 1200 W



PK-2222

- Capacity: 22 liters
- Rotating **ROTISSERIE** with drive, **GRILL**
- Temperature adjustment: 65–230 °C
- 60 minute timer with sound signal
- 4 stainless steel heating elements
- 5 stage function switch
- Accessories: rotisserie, tray, rack with handle
- Power: 1500 W



PK-3000

- Capacity: 30 liters
- **CONVECTION, GRILL**
- Touch control panel, interior lighting
- Temperature adjustment: 38–230 °C
- 120 minute timer with sound signal
- 6 automatic cooking programs
- Accessories: tray and metal rack with handle
- Power: 1600 W



PK-3400

- Capacity: 34 liters
- **CONVECTION, GRILL**
- Temperature adjustment: 65–230 °C
- 60 minute timer with sound signal
- 4 stainless steel heating elements
- 5 stage function switch
- Accessories: tray and rack with handle
- Power: 1600 W



ELECTRIC OVENS

PK-4200

- Capacity: 42 liters
- **Rotating ROTISSERIE** with drive
- **CONVECTION, GRILL**
- Temperature adjustment: 65–230 °C
- 60 minute timer with sound signal
- 4 stainless steel heating elements
- 5 stage function switch
- Accessories: rotisserie, tray, rack with handle
- Power: 1800 W



IRONS

ZL-0160

- Travel iron
- Stainless steel sole plate
- **Folded handle**
- Adjustable temperature control
- Dry ironing & steam function
- Overheat safety protection
- Power: 871 W



→ ZL-0160

ZL-6740

- **Ceramic soleplate**
- Dry and steam ironing
- Anti-drip & Anti-calc system
- Self clean function
- Vertical steam burst
- 300 ml water tank
- Swivel power cord 1.9 m
- Power: 2400 W



→ ZL-6740

ZL-6750

- **Ceramic soleplate**
- **AUTO-OFF** – automatic shutdown
- Anti-drip & Anti-calc system
- Self clean function
- Vertical steam burst
- 320 ml water tank
- Swivel power cord 1.9 m
- Power: 3100 W



→ ZL-6750

REFRIGERATORS

LD-0030A

- Cooler box
- Capacity: 30 liters
- Dual power supply: 12 V or 220-240 V
- Cooling and heating function
- **ECO mode – lower energy consumption**
- Carrying handle
- Energy efficiency class: F



LD-0055

- Total capacity: 46 liters
- Freezer capacity: 5 liters
- Compressor cooling system
- Manual defrosting
- Two-sided installation of the door
- Wire shelf, 2 door balconies
- Adjustable feet height
- Product dimensions: 485x475x450 mm
- Energy efficiency class: F



LD-0110 Plus

- Total capacity: 90 liters
- Freezer capacity: 10 liters
- Compressor cooling system
- Manual defrosting
- Two-sided installation of the door
- 2 glass shelves, 3 door balconies
- Adjustable feet height
- Product dimensions: 830x470x440 mm
- Energy efficiency class: F



SPICES MILLS / OTHERS

LP-0500

- Battery operated salt or pepper mill
- Single hand push button
- **High quality precision ceramic grinder**
- The built-in light illuminates the grinding area
- ABS body housing, side window display
- Power supply: 4 batteries 1.5 V AA



LP-0007

- Electric Knife Sharpener
- For sharpening steel kitchen knives, scissors and screwdrivers
- 6 sharpening positions
- ON/OFF switch (momentary)
- Removable guide head
- Power: 10 W



LP-0010

- Electric Knife Sharpener
- **Diamond-Coated Sharpening Wheels**
- For sharpening blades of steel kitchen knives
- 2 sharpening positions:
1 – Preliminary grind, 2 – Precision grind
- ON/OFF switch
- Access panel to remove metal filings
- Power: 40 W



RK-1600

- Food slicer
- Adjustment cutting with 0-15mm
- 3 speeds setting switch of cutting blade
- Stainless steel cutting blade diameter 170 mm
- Safety switch
- Foldable structure for portability
- ON/OFF switch
- Power: 150 W



ZG-0300



- Vacuum sealer
- For vacuum packaging and sealing foil, for dry and wet products
- Touch control panel with LED indicators
- **Double heating wires**
- Integrated knife for cutting foil
- Includes 1 roll of foil and 1 hose for sucking air
- Power: 165 W



KITCHEN SCALES

WG-0005

- Precision electronic scale
- **Weighing accuracy: 0.1 g**
- Load capacity up to 500 grams
- Measuring units: g/oz/ml
- Digital LED display on the housing
- Tare function
- Overload and low battery indicator
- Battery power supply: 2 x 1.5 AAA



WG-0016

- Capacity: 5 kg
- Graduation: 1 g
- LCD display
- Plastic bowl – 2.0 L
- Tare function, auto-off
- Overload and low battery indicator
- Battery power supply: 2 x 1.5 AAA



WG-0022

- Tempered glass platform
- Capacity: 5 kg, Graduation: 1 g
- Measuring units: g/ lb/ oz/ ml/ cup
- LCD display
- Tare function
- Overload and low battery indicator
- Battery power supply: 2 x 1.5 AAA



WG-0023/WG-0024

- Tempered glass platform
- Capacity: 5 kg, graduation: 1 g
- Measuring units: g/kg/lb:oz/water:ml/milk:ml
- LCD display
- Tare function
- Overload and low battery indicator
- Battery power supply: 1 x CR2032, 3 V



KITCHEN SCALES

WG-0025/WG-0026

- Tempered glass platform
- Capacity: 5 kg, graduation: 1 g
- Measuring units: g/kg/lb:oz/water:ml/milk:ml
- LCD display
- Tare function
- Overload and low battery indicator
- Battery power supply: 1 x CR2032, 3 V



→ WG-0025/WG-0026

WG-0035

- **Battery-free kitchen scale**
- Removable metal bowl with a capacity of 600 ml
- Load up to 5 kg, weighing accuracy 1 g
- Measuring units: g/oz/ml
- LCD display
- Tare function
- Overload and battery level indicator



→ WG-0035

WG-0040

- Digital gastronomic scale
- **Load up to 15 kg**, accuracy: 1 g
- Weighing range from 2 g to 15 kg
- Measurement units: g/kg/oz/ml/milk-ml
- Weighing pan made of stainless steel
- Auto zero, tare function
- Overload and low battery indicator
- Battery power supply: 3 x 1.5 V AAA



→ WG-0040

SW-2109/2113/2116

- **Curling iron with ceramic coating**
- Maximum temperature 210 °C
- Swivel power cord
- Overheating protection
- **SW-2109 diameter 9 mm**, power 25 W
- **SW-2113 diameter 13 mm**, power 30 W
- **SW-2116 diameter 16 mm**, power 27W



SW-4060

- Hot Air Brush
- **2 round brushes, 20 and 34 mm in diameter**
- 2-step adjustment of warm air flow
- Cool shot function
- Swivel power cord
- Overheating protection
- Power: 1000 W



SW-5013

- **Foldable handle**
- 2 level heat setting
- Hanging loop
- Overheating protection
- Power: 1200 W



SW-5222

- **Ionization function**
- 2-speed settings
- 2-temperature settings
- **Cool shot function**
- Concentrator
- Removable engine cover inlet air filter
- Overheat protection
- Power: 2200 W



SW-0095

- Hair clipper
- Durable, adjustable stainless steel blades
- 4 attachments for cutting hair of different length: 3, 6, 9, 12 mm
- Scissors, comb, mini brush, oil for conservation
- Power: 10 W



WG-0164/0165/0166

- Electronic personal scale
- Tempered glass platform 300 x 300 mm
- LCD display: 74 x 30 mm
- Weighing range up to 180 kg
- Graduation: 0.1 kg / 0.2 lb
- Overload and low battery indicator
- Battery power supply: 1 x CR2032



HZ-7020

- Body Massage pillow
- For a relaxing and loosening Shiatsu massage
- **2 rotating heads with 8 massage points**
- Changing the direction of head rotation
- Light heating function
- Working time – 1 cycle of 15 minutes
- AC and car adapter included



HZ-7030

- Shiatsu massage collar
- For a relaxing and loosening Shiatsu massage
- **2 rotating heads with 16 massage points**
- Changing the direction of head rotation
- 3 speed massage
- Light heating function
- Working time – 1 cycle of 15 minutes
- AC and car adapter included



HEALTH AND BEAUTY

HZ-1014

- Foot Massager with pedicure set
- 3 types of massage: bubble, vibrating, roller
- **PEDICURE set with 4 different attachments**
- Aromatherapy (fragrance diffuser)
- 4 rollers to massage the reflex points of the feet
- Function to keep water warm (approx. 30 °C)
- 70 air massage jets for relaxing bubble massage
- Power: 90 W



→ HZ-1014

HZ-8505

- **Automatic Wrist Blood Pressure Monitor**
- Blood pressure and pulse measurement
- **Adjustable cuff circumference 14 cm ~ 19.5 cm**
- LCD display: 4.7 x 4 cm
- Memory of 4 x 30 measurements with date & time
- Power supply batteries: 2 x 1.5 V AAA
- Compliant with WHO guidelines
- **Certified medical device**



→ HZ-8505

HZ-8568

- **Automatic Blood Pressure Monitor – Arm type**
- Blood pressure and pulse measurement
- **Adjustable cuff circumference 22 cm ~ 32 cm**
- Large LCD display: 60 x 41 mm
- Automatic inflation and deflation of the cuff
- Arrhythmia detection function
- Power supply batteries: 4 x 1.5 V AAA
- Compliant with WHO guidelines
- **Certified medical device**



→ HZ-8568

HEALTH AND BEAUTY

HZ-8596

- Arm Blood Pressure Monitor
- **Voice guide function**
- Blood pressure and pulse measurement
- **Adjustable cuff circumference 30 cm ~ 42 cm**
- Large LCD display: 74 x 86 mm with backlight
- Automatic inflation and deflation of the cuff
- Arrhythmia detection function
- Power supply batteries: 4 x 1.5V AAA
- **Certified medical device**



TE-0200

- **Infrared Digital No-Touch Thermometer**
- One button – easy to use
- **Measuring time: 1 second**
- The unit of measure in: °C / °F
- Illuminated digital display
- Fever alarm
- Power supply batteries: 2 x 1.5 V AAA
- Automatic switch-off
- **Certified medical device**



HEATING / DEHUMIDIFIERS

OK-9105

- 2 heating settings: 1000 / 2000 W
- Normal/warm/hot wind for selection
- Adjustable thermostat
- Overheating protection
- Automatic thermal switch
- Safety thermal fuse built in
- Power: 2000 W



→ OK-9105

OK-9240

- 2 heating settings: 900 / 1800 W
- Normal/warm/hot wind for selection
- Adjustable thermostat
- Overheating protection
- Automatic thermal switch
- **Work in horizontal and vertical positions**
- Power: 1800 W



→ OK-9240

OK-9450

- **Halogen heater**
- 3 heating settings: 400 / 800 / 1200 W
- **Energy saving 3 halogen tubes**
- Oscillation function
- Overheating protection, thermal switch
- Quiet operation
- Power: 1200 W



→ OK-9450

OK-9500

- **Carbon radiant heater**
- 2 heating settings: 500 / 1000 W
- **Energy saving 2 heating elements made of carbon fiber**
- Oscillation function
- Overheating protection, thermal switch
- Quiet operation
- Power: 1000 W



→ OK-9500

HEATING / DEHUMIDIFIERS

OS-1711/OS-1713

- Oil heaters
- 11 or 13 fins
- 3 heating settings: 1000 / 1500 / 2500 W
- Adjustable thermostat (knob)
- Overheating protection
- Safety thermal fuse built in
- Metal housing with plastic elements
- Power: 2500 W



OT-7150

- Electric Dehumidifier
- Removable water tank 700 ml
- Drying capacity approx. 300 ml / 24 h
- Water level detector, automatically switch off when water tank is full
- For rooms up to approx. 15 m²
- Works with Peltier technology (no compressor)
- AC adapter



KP-1000

- Air curtain / PTC ceramic heater
- Airflow: cold, warm, hot air
- 2 heating power levels: 1000 / 2000 W
- Temperature range of 10–49 °C
- 24 hour timer, weekly timer
- "Open window" & swing function
- LCD display, remote control
- Power: 2000 W



WT-2523

- Table fan
- Adjustable airflow angle
- Auto rotation
- 2 speed settings
- Diameter 23 cm
- Air flow 40 m³/min
- Power: 20 W



→ WT-2523

WT-2530


- Table fan
- Adjustable airflow angle
- Auto rotation
- 3 speed settings
- Diameter 30 cm
- Air flow 55 m³/min
- Power: 38 W



→ WT-2530

WT-2540

- Stand fan
- Adjustable airflow angle
- Auto rotation
- 3 speed settings
- Diameter 40 cm
- Air flow 65 m³/min
- Foldable construction
- Power: 40 W



→ WT-2540

WC-0301/WC-0351

- Floor circulation fan
- Metal propellers and housing
- 3-step airflow speed regulation
- Adjusting the canopy angle
- **ENERGY-SAVING copper motor**
- WC-0301 – 30 cm diameter, power: 55 W
- WC-0351 – 35 cm diameter, power: 70 W



→ WC-0301/WC-0351

WC-0401/WC-0451

- Floor circulation fan
- Metal propellers and housing
- 3-step airflow speed regulation
- Adjusting the canopy angle
- **ENERGY-SAVING copper motor**
- WC-0401 – 40 cm diameter, power: 100 W
- WC-0451 – 45 cm diameter, power: 100 W



WC-0501

- Floor circulation fan
- Metal propellers and housing
- Diameter 50 cm
- 3-step airflow speed regulation
- Adjusting the canopy angle
- **ENERGY-SAVING copper motor**
- Power: 120 W

